

Day : Wednesday

Date: 1/31/2007
Time: 10:06:50 **PALM INTRANET**

Inventor Information for 10/770407

Inventor Name	City	State/Country
MAGRATH, ANTHONY J.	EDINBURGH	UNITED KINGDOM

Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity/Reexam	Foreign C
------------	----------	---------------	-----------------	-------------------	-----------

Search Another: Application# or Patent#

PCT / / or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 1/31/2007

Time: 10:13:12

 PALM INTRANET**Inventor Name Search Result**

Your Search was:

Last Name = MAGRATH

First Name = ANTHONY

Application#	Patent#	Status	Date Filed	Title	Inventor Name
10214641	Not Issued	61	08/09/2002	Bass compressor	MAGRATH, ANTHONY J.
10770407	Not Issued	30	02/04/2004	Class D amplifier	MAGRATH, ANTHONY J.
10777763	7061415	150	02/13/2004	WORD LENGTH REDUCTION CIRCUIT	MAGRATH, ANTHONY J.
10828342	Not Issued	30	04/21/2004	Signal processors and associated methods	MAGRATH, ANTHONY J.
11002207	Not Issued	30	12/03/2004	Audio processing	MAGRATH, ANTHONY J.
11110858	Not Issued	93	04/21/2005	PULSE WIDTH MODULATOR QUANTISATION CIRCUIT	MAGRATH, ANTHONY J.
11225845	Not Issued	30	09/14/2005	Feedback controller for PWM amplifier	MAGRATH, ANTHONY JAMES

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	MAGRATH	ANTHONY	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Welcome United States Patent and Trademark Office

[Search Session History](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Wed, 31 Jan 2007, 11:27:51 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|------------|--|
| <u>#1</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (look <near/2> (up <or> ahead) <near/3> quantiz*)) <in>metadata) |
| <u>#2</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#3</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#4</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#5</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#6</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#7</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#8</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#9</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#10</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#11</u> | (((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delta <near/3/> sigma))<in>metadata) |
| <u>#12</u> | (((look <near/2> (up <or> ahead)) <near/3> quantiz*) <and> (class <near/2> d <near/2> amplifier*))<in>metadata) |

Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((bit* <or> symbol* <or> pulse*) <near/4> (invert* or flipp*)) <and> (delt..." ☐ e-mail

Your search matched 10 of 1476571 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Delta modulation strategies for resonant link inverters**
Kheraluwala, M.H.; Divan, D.M.;
[Power Electronics, IEEE Transactions on](#)
Volume 5, Issue 2, April 1990 Page(s):220 - 228
Digital Object Identifier 10.1109/63.53159
[AbstractPlus](#) | Full Text: [PDF](#)(608 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Resolution enhancement and dither of sigma-delta modulator digital-to-a converters**
Magrath, A.J.; Sandler, M.B.;
[Electronics Letters](#)
Volume 31, Issue 18, 31 Aug. 1995 Page(s):1540 - 1542
[AbstractPlus](#) | Full Text: [PDF](#)(240 KB) IEE JNL
- ☐ 3. **Efficient dithering of sigma-delta modulators with adaptive bit flipping**
Magrath, A.J.; Sandler, M.B.;
[Electronics Letters](#)
Volume 31, Issue 11, 25 May 1995 Page(s):846 - 847
[AbstractPlus](#) | Full Text: [PDF](#)(156 KB) IEE JNL
- ☐ 4. **Thinned-out controlled class D inverter with delta-sigma modulated 1-bit**
Koizumi, H.; Kurokawa, K.; Mori, S.;
[Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on](#)
23-26 May 2005 Page(s):1322 - 1325 Vol. 2
Digital Object Identifier 10.1109/ISCAS.2005.1464839
[AbstractPlus](#) | Full Text: [PDF](#)(456 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Amplitude bounds on oscillations from a sigma-delta modulator structure**
Davies, A.C.;
[Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE Interna](#)
[on](#)
Volume 3, 31 May-3 June 1998 Page(s):298 - 301 vol.3
Digital Object Identifier 10.1109/ISCAS.1998.704009
[AbstractPlus](#) | Full Text: [PDF](#)(276 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. A sigma-delta modulator topology with high linearity**
Magrath, A.J.; Sandler, M.B.;
Circuits and Systems, 1997. ISCAS '97. Proceedings of 1997 IEEE International
Volume 1, 9-12 June 1997 Page(s):53 - 56 vol.1
Digital Object Identifier 10.1109/ISCAS.1997.608521
[AbstractPlus](#) | Full Text: [PDF](#)(344 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **7. Design and implementation of a FPGA sigma-delta power DAC**
Magrath, A.J.; Clark, I.G.; Sandler, M.B.;
Signal Processing Systems, 1997. SIPS 97 - Design and Implementation., 199
on
3-5 Nov. 1997 Page(s):511 - 521
Digital Object Identifier 10.1109/SIPS.1997.626339
[AbstractPlus](#) | Full Text: [PDF](#)(492 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **8. High-gain feedback in a delta-sigma modulated inverter with carrier**
Inoue, T.; Nishimura, K.; Gamou, S.; Kashiwagi, H.;
Industrial Electronics, Control and Instrumentation, 1991. Proceedings. IECON
International Conference on
28 Oct.-1 Nov. 1991 Page(s):191 - 196 vol.1
Digital Object Identifier 10.1109/IECON.1991.239307
[AbstractPlus](#) | Full Text: [PDF](#)(432 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **9. Performance analysis of three-phase inverters controlled by synchronous modulation systems**
Mertens, A.;
Industry Applications Society Annual Meeting, 1992., Conference Record of the
4-9 Oct. 1992 Page(s):779 - 788 vol.1
Digital Object Identifier 10.1109/IAS.1992.244317
[AbstractPlus](#) | Full Text: [PDF](#)(648 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **10. Non-linear deterministic dithering of sigma-delta modulators**
Magrath, A.J.; Sandler, M.B.;
Oversampling and Sigma-Delta Strategies for DSP, IEE Colloquium on
23 Nov 1995 Page(s):2/1 - 2/6
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF

WEST Search History

DATE: Wednesday, January 31, 2007

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L13	(((bit\$ or symbol\$ or pulse\$) near4 (invert\$3 or flipp\$3)) and (amplifier*))	0
<input type="checkbox"/>	L12	(((bit\$ or symbol\$ or pulse\$) near4 (invert\$3 or flipp\$3)) and (class near2 d near3 amplifier*))	0
<input type="checkbox"/>	L11	(((bit\$ or symbol\$ or pulse\$) near4 (invert\$3 or flipp\$3)) same (class near2 d near3 amplifier*))	0
<input type="checkbox"/>	L10	L9 not (L6 or L4)	0
<input type="checkbox"/>	L9	L6 and L3	46
<input type="checkbox"/>	L8	L6 and L3 and (375/\$3.ccls. or 341/\$4.ccls.)	2
<input type="checkbox"/>	L7	L6 and L3 and L2	0
<input type="checkbox"/>	L6	((bit\$ or symbol\$ or pulse\$) near4 (invert\$3 or flipp\$3)) and (look near2 (up or ahead) near3 quantiz\$3)	50
<input type="checkbox"/>	L5	((bit\$ or symbol\$ or pulse\$) near4 (invert\$3 or flipp\$3))	58040
<input type="checkbox"/>	L4	L3 and L1	46
<input type="checkbox"/>	L3	@ad<=20030915 ~	24735274
<input type="checkbox"/>	L2	((375/242).ccls. or (375/244).ccls. or (375/247).ccls. or (341/76).ccls. or (341/143).ccls. or (341/126).ccls.)	4403
<input type="checkbox"/>	L1	(((bit\$ or symbol\$ or pulse\$) near4 (invert\$3 or flipp\$3)) same (delta near2 sigma near2 modulat\$3))	65

END OF SEARCH HISTORY